















































RA




RB




PA




PB




SA
REF DES
REFDES
U1
U2
U3
U4
U5
U6
U7
U8
U9
U10
U11
U12
U13
U14
U15
U20
U21
U22
U23
U25
U26
U27
U28
U30
U31
U32
U33
U34
U35
U36
U37
U38
U39
U40
U41
U42
U43
U44
U45
U46
U47
U48
U49
U50
U52
U57
U58
U59
U60
U61
U62
U63
U64
U65
U66
U67
U68
U69
U70
U71
U72
U73
U74
U75
U76
U85
U86
U87
J1
J2
J3
J4
J5
J7
J8
J9
J10
J11
J12
X1
X2
X4
X5
X6
X7
X8
SW1
SW2
SW3
SW4
SW5
D1
D2
D3
D4
DS1
DS3
DS6
CN1
CN2
CN3
CN4
CN5
CN6
CN8
CN9
CN10
CN11
CN12
CN13
CN14
CN15
CN16
CN17
CN18
CN19
CN20
CN21
CN22
CN23
CN24
CN25
CN26
CN27
CN28
CN29
CN31
CN32
CE1
CIN1
OSC3
OSC4
OSC5
OSC6
TP1
TP2
TP3
TP5
TP6
TP7
TP8
TP9
TP10
TP11
TP12
TP13
TP14
TP15
TP16
TP17
TP18
TP19
TP20
TP21
TP22
TP23
TP24
TP25
TP26
TP27
TP28
TP29
TP30
TP31
TP33
TP34
TP35
TP36
TP37
TP38
TP39
TP40
TP41
TP42
TP43
TP44
TP45
TP46
TP48
TP50
TP55
TP56
TP57
TP58
TP59
TP60
TP61
TP62
TRPNMLKJHGFEDCBA
ABCDEFGHJKLMNPRTUVWY
AA AC AE AG AJ
A B C D E F G H J K L M
ABCDEFG
1 2 3 4 5
1 3 7 9

SB





DRILL CHART: TOP to L2_GND				
ALL UNITS ARE IN MILS				
FIGURE	SIZE	TOLERANCE	PLATED	QTY
·	6.0	+0.0/-0.0	PLATED	64


DRILL CHART: TOP to BOTTOM				
ALL UNITS ARE IN MILS				
FIGURE	SIZE	TOLERANCE	PLATED	QTY
·	8.0	+0.0/-0.0	PLATED	7151
·	10.0	+3.0/-3.0	PLATED	1179
·	12.0	+0.0/-0.0	PLATED	2
⊙	20.0	+3.0/-3.0	PLATED	336
+	27.559	+0.0/-0.0	PLATED	37
+	31.496	+0.0/-0.0	PLATED	60
⊙	32.0	+3.0/-3.0	PLATED	84
⊙	36.0	+3.0/-3.0	PLATED	3
⊗	36.0	+3.0/-3.0	PLATED	12
◈	40.0	+3.0/-3.0	PLATED	12
◬	40.16	+3.15/-3.15	PLATED	7
41	41.0	+3.0/-3.0	PLATED	4
⊕	42.0	+3.0/-3.0	PLATED	21
+	43.307	+0.0/-0.0	PLATED	12
62	62.0	+3.0/-3.0	PLATED	2
Q	106.0	+3.0/-3.0	PLATED	2
R	111.0	+3.0/-3.0	PLATED	4
43	42.91	+1.97/-1.97	NON-PLATED	1
63	62.99	+1.97/-1.97	NON-PLATED	1
+	62.992	+0.0/-0.0	NON-PLATED	4
+	86.614	+0.0/-0.0	NON-PLATED	4
+	92.52	+0.0/-0.0	NON-PLATED	2
126	126.0	+2.0/-2.0	NON-PLATED	2

BACKDRILL: TOP to L13_GND				
ALL UNITS ARE IN MILS				
FIGURE	SIZE	TOLERANCE	PLATED	QTY
·	8.0	+0.0/-0.0	PLATED	12

NOTES:
- DRILL SIZES LISTED IN LEGEND ARE CONSIDERED FINISHED.
- VENDOR IS REQUIRED TO SELECT TOOLING FOR OVERDRILLING.
- LEGEND DOES NOT SPECIFY DEPTH INTO ADJACENT DIELECTRIC LAYER.

BACKDRILL: TOP to L11_GND				
ALL UNITS ARE IN MILS				
FIGURE	SIZE	TOLERANCE	PLATED	QTY
·	8.0	+0.0/-0.0	PLATED	8

NOTES:
- DRILL SIZES LISTED IN LEGEND ARE CONSIDERED FINISHED.
- VENDOR IS REQUIRED TO SELECT TOOLING FOR OVERDRILLING.
- LEGEND DOES NOT SPECIFY DEPTH INTO ADJACENT DIELECTRIC LAYER.



BACKDRILL: BOTTOM to L13_GND				
ALL UNITS ARE IN MILS				
FIGURE	SIZE	TOLERANCE	PLATED	QTY
·	8.0	+0.0/-0.0	PLATED	30

NOTES:
- DRILL SIZES LISTED IN LEGEND ARE CONSIDERED FINISHED.
- VENDOR IS REQUIRED TO SELECT TOOLING FOR OVERDRILLING.
- LEGEND DOES NOT SPECIFY DEPTH INTO ADJACENT DIELECTRIC LAYER.

BACKDRILL: BOTTOM to L15_GND				
ALL UNITS ARE IN MILS				
FIGURE	SIZE	TOLERANCE	PLATED	QTY
·	8.0	+0.0/-0.0	PLATED	66

NOTES:
- DRILL SIZES LISTED IN LEGEND ARE CONSIDERED FINISHED.
- VENDOR IS REQUIRED TO SELECT TOOLING FOR OVERDRILLING.
- LEGEND DOES NOT SPECIFY DEPTH INTO ADJACENT DIELECTRIC LAYER.